

Contacts: Dr. Catherine Sozi; catherine.sozi@un.org, Dr. Tugumizemu Victor; tugumizemuv@who.int, +251904055745

WHO RESPONSE

- More than 1.5 million have been trained in WHO's online courses on COVID-19 through [OpenWHO.org](https://openwho.org), we therefore encourage everyone to enroll and undergo these relevant trainings and are free of charge
- WHO continues to work with partners all over the world to accelerate research and development where more than 90 countries have joined or have expressed interest in joining the Solidarity Trial, and more than 900 patients have now been enrolled, to evaluate the safety and efficacy of four drugs and drug combinations.
- Additionally, WHO has convened groups of clinicians to look at the impact of corticosteroids and other anti-inflammatory drugs on treatment outcomes.

GLOBAL

Countries, Areas or Territories Affected **213**

Confirmed Cases **1,914,916**

Deaths **123,010**

Source: WHO Dashboard 14-April 2020 @ 6:00pm CEST

Fig. 1: Prevalence of confirmed COVID-19 cases in Africa, 15-April-2020





Fig 2: Top 5 African countries reporting the highest number of confirmed COVID-19 cases



- In Africa, the top 5 countries reported 9,578 confirmed cases and 672 deaths representing 57.7% of the total reported confirmed cases and 78.5% deaths respectively.
- There is evidence of community transmission in South Africa, Egypt, Algeria and Morocco and this calls for rigorous and systematic measures

16,599

• TOTAL CONFIRMED CASES

3,084


• TOTAL RECOVERED

856

• TOTAL DEATHS

ETHIOPIA

Fig. 3: Map of Ethiopia indicating COVID-19 affected regions as of 15 April 2020



• WHO: As of 12:00pm CEST 15 APRIL 2020
15/04/2020

COVID-19 Update

4

Trend of confirmed COVID-19 by the date of onset

